

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1826	(710/52).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 15:20
L2	85	(710/52).ccls. and "1394"\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 15:23
L3	47	(710/52).ccls. and "1394"\$3 and fifo\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 16:34
L4	9	(710/52).ccls. and "1394"\$3 and (fifo\$1 same (clock or clk))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 17:42
L5	6	(710/52).ccls. and (fifo\$1 same ((clock or clk) near5 independent))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 17:10
L7	2	(710/52).ccls. and ("1394"\$3 same phy)and (fifo\$1 same (clock or clk))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 17:59
L8	20102	clock same (phase adj locked)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 18:00
L9	457	8 and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 18:00
L10	666	clock same (phase adj locked) same (benefit\$1 or advantage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 18:00

EAST Search History

L11	16	10 and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 18:00
S2	4123	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") same (ethernet or "802.3" or "cat5" or "category 5")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 13:50
S3	2792	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") near8 (ethernet or "802.3" or "cat5" or "category 5")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 13:20
S4	1268	S3 and (7?\$/).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 13:18
S5	2769	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") near8 (ethernet or "802.3")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 10:46
S6	1689	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") near8 (ethernet or "802.3") same connect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 13:20
S8	743	S6 and (7?\$/).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 13:21
S9	26	S2 and (710/305).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:41
S10	1	("6438604").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:41
S11	1352	(709/232).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 10:46

EAST Search History

S12	49	S11 and ("1394"\$2 or firewire or "fire-wire" or "fire adj wire")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 14:59
S15	14	("709"/232).ccls. and (("1394"\$2 or firewire or "fire-wire" or "fire adj wire") same (ethernet or "802.3" or "cat5" or "category 5"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 15:00
S17	162	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") same ("10" adj bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/12 16:34
S18	1264	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") near8 (ethernet or "802.3") and (7?/?\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 10:47
S19	50	((("1394"\$2 or firewire or "fire-wire" or "fire adj wire") near8 (ethernet or "802.3") same (clock or rate)) and (7?/?\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 10:51
S20	19	((("1394"\$2 or firewire or "fire-wire" or "fire adj wire") near8 (ethernet or "802.3") same (PHY)) and (7?/?\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 10:57
S21	110	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") same (scrambl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 14:33
S22	19	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") same (scrambl\$4) same (encod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 15:56
S23	43	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") same ("10-bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 17:12
S25	48	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") and "8B/10B"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 17:14

EAST Search History

S26	10	("1394"\$2 or firewire or "fire-wire" or "fire adj wire") same "8B/10B"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:46
S27	0	(phase near amplitude near modulation near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 18:17
S28	44	(phase near3 amplitude near3 modulation near3 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/18 13:43
S29	88	(gmii or (gigabit near4 ethernet)) near8 (benefit\$1 or advantage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 13:37
S30	305	(710/307).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 15:49
S31	140	(710/307).cccls. and ("8" same "10")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:06
S32	136	(710/307).cccls. and (stor\$4 near4 (fifo or buffer\$1 or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:13
S33	77	(710/307).cccls. and (stor\$4 near4 (fifo or buffer\$1 or storage) same bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:13
S34	92	((repack\$3 or re-pack\$3) near8 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:50
S35	1140	(8B/10B)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:50

EAST Search History

S36	0	(8B/10B) same (repack\$3 or re-pack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:51
S38	377	(8B/10B) same (convert\$3 or translat\$3 or transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:51
S39	300	(8B/10B) same (convert\$3 or translat\$3 or transform\$3) same bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:52
S40	43	(10B/8B) same (convert\$3 or translat\$3 or transform\$3) same bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:57
S41	0	(10B/8B) and (710/307).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 14:58
S42	12	(10B/8B) same fifo\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 15:15
S43	15	(10B/8B) same buffer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/19 15:15
S44	67	(710/307).ccls. and fifo\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 14:19
S45	51	(710/307).ccls. and (fifo\$1 same bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 15:50
S49	158	(710/307).ccls. and (buffer\$1 same bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 16:59

EAST Search History

S52	209	(710/30).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 17:36
S53	7	("4447878" "4525804" "4716527" "5113369" "5280598" "5394528" "5423009").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 17:47
S54	1	("4633437").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 17:53
S55	8	("4514808" "4667305" "5148539" "5263139" "5274763" "5280598" "5388227" "5394528").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 17:54
S56	8	("4683534" "4716527" "5280598" "5293381" "5345559" "5499344" "5537624" "5559969").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 18:58
S57	2	"perfect aligner"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 21:24
S58	170	null near5 indicat\$4 near5 empty	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 21:25
S59	2	(null near5 indicat\$4 near5 empty) same fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 22:12
S61	1352	(data near4 align\$4) same width\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 21:38
S62	392	S61 and (7?/?\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 21:36

EAST Search History

S63	58	(data near4 align\$4) same (width\$1 near3 differ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 21:50
S64	1	("4486739").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 21:50
S66	278	(null near2 delet\$4) and (7?/?). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 22:13
S67	105	(null near2 delet\$4) and (71?/?). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 22:13
S68	5	(null near2 delet\$4) and ("710"/?). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 22:26
S70	3219	(fifo near2 register\$1) and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 22:27
S71	1585	(fifo same implement\$3 same register\$1) and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 22:27
S72	229	(fifo near8 implement\$3 near4 register\$1) and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/20 22:44
S74	5356	pad\$4 near data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 10:23
S75	489	(pad\$4 near data) same register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 10:25

EAST Search History

S76	160	(pad\$4 near data) same register\$1 same bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 10:26
S77	29	(padd\$4 near data) same register\$1 same bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 10:38
S78	121	(padd\$4 near data) same (strip\$4 or remov\$4 or delet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 11:44
S79	1	("7007114").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 11:37
S80	0	(gmii or (gigabit near4 ethernet)) near8 ("received data valid")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 13:39
S81	2	ethernet same ("received data valid")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 13:42
S82	25	ethernet same ("receive data valid")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/22 15:20